	Application No.	Applicant(s)
Notice of Allowability	10/785,384 Examiner	OCKENFUSS ET AL. Art Unit
	Examiner	Artonit
	Joshua L. Pritchett	2872
The MAN INC DATE of this accommiss the same	for Ge Fineman	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject t	oplication. If not included n will be mailed in due course. THIS
1. 🗵 This communication is responsive to <u>After Final Amendme</u>	nt filed July 25, 2006.	
2. The allowed claim(s) is/are <u>1-4,6-11 and 22-34</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi he header according to 37 CFR 1.121	ings in the front (not the back) of (d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s)	5 🖂 Notice of Informal I	Potent Application (PTO 152)
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	ate .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date		ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

This action is in response to After Final Amendment filed July 25, 2006. Claims 1 and 23 have been amended and claim 5 has been cancelled as requested by the applicant.

Response to Arguments

Applicant's arguments, see Amendment, filed July 25, 2006, with respect to claim 1 have been fully considered and are persuasive. The rejection of claim 1 has been withdrawn.

Applicant amended claim 1 to include allowable subject matter of claim 5. As such the rejection of claim 1 has been withdrawn.

Allowable Subject Matter

Claims 1-4,6-11 and 22-34 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the prior art fails to teach or suggest an infrared filter with a filter stack comprising a plurality of dielectric layer and a plurality of metal layers with a transmission greater than or equal to 75% between 400nm and 600nm wherein the dielectric layer are niobium oxide and the metal layers are silver.

Regarding claim 23, the prior art fails to teach or suggest an infrared filter with a filter stack comprising a plurality of dielectric layer, a plurality of corrosion suppressing layers and a plurality of metal layers with a transmission greater than or equal to 75% between 400nm and 600nm and wherein the stack sequence is D1/C1/M1/C2/D2 where D is a dielectric layer, C is a corrosion suppressing layer and M is a metal layer.

The remaining claims depend from claims 1 and 23 and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua L. Pritchett whose telephone number is 571-272-2318. The examiner can normally be reached on Monday - Friday 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A. Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/785,384

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Joshua L Pritchett \mathscr{V}

Page 4

Examiner Art Unit 2872

DREW A. DUNN SUPERVISORY PATENT EXAMINER